

# Allstate “Au Natural” Rubber Flooring

*Available in 100% natural, sustainable plantation grown rubber*



100% NATURAL  
RUBBER TREE

RUBBER TAP



**ALLSTATE**

[sales@allstaterubber.com](mailto:sales@allstaterubber.com)

# The most flexible rubber company in the world.

Allstate "Au Natural" Rubber is completely different from other resilient flooring products such as vinyl or linoleum.

Allstate "Au Natural" rubber is beautiful, tactile, flexible, warm and soft. In addition to our massive standard range, most of our custom rubber products are available in an infinite palette of richly saturated custom colors made especially for your project.

Many of our products are also available in different textures and patterns to provide you with endless design possibilities. There are over 2,720 possible combinations in textures alone!

Allstate "Au Natural" rubber has many other benefits that make it suitable for a wide range of indoor applications. It insulates, absorbs noise and resists both

water and burns. It is slip-resistant, supple, soft to the touch, practical, hygienic and has less environmental impact than most of the competition. Not to mention, it's the most beautiful rubber flooring on the market.

You can choose to have your Allstate rubber floor made in either our standard synthetic SBR rubber (sometimes called industrial rubber) or our new "Au Natural" next generation **100% natural rubber made from sustainable, plantation grown rubber trees.**



Look for the rubber tree logo to see if an item is available in our exclusive 100% natural "au natural" rubber formulation.

Please contact us via e-mail at [sales@allstaterubber.com](mailto:sales@allstaterubber.com) or via phone for more info: 1.718.526.7890 or visit the website [www.muchocolors.com](http://www.muchocolors.com)



RUBBER TREE  
PLANTATION

## Au Natural

Many of the Allstate rubber flooring products shown in this brochure are available in Allstate's "AU NATURAL" 100% NATURAL & SUSTAINABLE RUBBER. We firmly believe that "au natural" is the most environmentally friendly and sustainable resilient flooring in the world.

### The New Thesaurus:

MAIN ENTRY: Au Natural

DEFINITION: In a natural state, uncovered

SYNONYMS: Bald, bare, bare-skinned, exposed, natural, naked, raw, stark naked, open, starkers, unclothed, unconcealed, undressed, unveiled

ANTONYMS: Covered, dressed, synthetic, false

It is a common misconception that modern rubber flooring is a "natural" product. In fact, virtually all the rubber flooring on the market today is made from synthetic rubber. In environmental terms, synthetic rubber compares quite favorably with its main competitors, PVC, linoleum, etc. But with sustainability high on the design agenda, Allstate has decided it's time to take a quantum leap in improving the environmental profile of its products, simply by going back to nature, "au natural." Most of our Allstate rubber products are available in our 100% natural rubber formula. This is rubber that comes from rubber trees NOT petroleum.

For more information, or to find out if your choice of Allstate Custom Rubber flooring is available "au natural," please contact us via e-mail at [sales@allstaterubber.com](mailto:sales@allstaterubber.com) or phone 1.718.526.7890.





# Allstate Solid/Uni Colors



D1 Iris



D2 Lilas



D3 Geranium



D4 Ibiscus



D5 Rouge  
Ponceau



D6 Jaune  
Chamois



D7 Prune



D8 Rose Indien



D9 Fuchsia



D10 Paprika



D11 Jaune  
Renault



D12 Jaune  
Pollen



D13 Bleu  
Marine



D14 Lavande



D15 Turquoise



D16 Bleu Air  
France



D17 Reflets  
Acier Argent



D18 Gris  
Anthracite



D19 Bleu  
Canard



D20 Bleu Paon



D21 Bleu Pale



D22 Gris  
Chaillot



D23 Vert  
Fonce



D24 Vert  
Pomme



D25 Malachite



D26 Green



D27 Vert  
Ecume



D28 Olive



D29 Marron  
Negre



D30 Marron  
Daim



D31  
Comblanchien



D32 Noir



D33 Hortensia



D34 Rose




D35 Mauve



D36 Coquille  
Oeuf



D37 Ton Pierre



D38 Blanc  
Dakota



D39 Pistache



D40 Vert D'oeuf



Solid/uni colors are available not only as solid color smooth tile, but for use as the color palette for any Allstate "Au Natural" rubber product show in this catalogue. These clear & clean 80 colors represent the cutting edge in rubber flooring colorways. Allstate also offers custom colors for small minimums. Solid color smooth tile is available in the following sizes: 13.4" x 13.4", 24" x 24" and 27" x 70" (for non-floor use only). Please see [www.muchocolors.com](http://www.muchocolors.com) for more information on using solid colors as an overall field.

...choose from 80 clean, clear Allstate colors



D41 Bleu Pastel



D42 Peche



D43 Canelle



D44 Vanille



D45 Citron



D46 Claret



D47 L'automne



D48 Gris Paris



D49 Gris Lyons



D50 Gris Talbot



D51 Pierre De Tuffeaux



D52 Banane



D53 Antelope



D54 Cassis



D55 Violet



D56 Outremer



D57 Bleu Ciel



D58 Vert Tundra



D59 Celadon



D60 Sapin



D61 Fumee




D62 Gris Tourterelle



D63 Gardenia



D64 Orange



D65 Chardon



D66 Tomate



D67 Bleu Royale



D68 Citron Vert



D69 Vert Ecosais



D70 Gris Frais



D71 Bleu Oiseau



D72 Bleu Glacier



D73 Anis



D74 Pamplemousse



D75 Canari



D76 Mandarine



D77 Vermillon




D78 Rouge Feu



D79 Parme





D80 Lagon



# Allstate Textures

25

All textures are 27" x 27"  
Available in 80 colors



Digitopolis—Image shows texture on full tile




Grand Pavé, detail



Cotto—Image shows texture on full tile



Fossile—Image shows texture on full tile



Ardoise Française—Image shows texture on full tile



Pick a texture from this page. Then pick any color from our color palette to the right. That's it.

\*Solid color smooth tile available in 13.4" x 13.4", 24" x 24" and 27" x 70"

WWW.ALLSTATERUBBER.COM E-MAIL: SALES@ALLSTATERUBBER.COM

# Allstate Micro Reliefs



Petit Carré      Cannelé      Micro Pastille      Martelé



Petit Cannelé      Petit Losange      Point de Diamant

7 standard micro relief finishes available in 80 colors. For use in nontraditional settings (furniture, coveing, vertical), not for floor use (except for Martele). Sizes: 27" x 70", Martele: 13.4" x 13.4" & 27" x 70".


# Allstate Rubber Covebase

Allstate Covebase: in 55 standard colors; please see the covebase chain ring for actual colors as they differ from the "Au Natural" rubber color palette. Available in 120' rolls and 4' lengths. Contains **10% recycled content** standard and up to 85% upon special order (lead times may apply to 85% content). Highly scratch and scuff resistant.



## COVE BASE:


Exclusive scuff resistant matte finish  
Available in 55 colors  
Standards: 2 1/2", 4", & 6"  
6" available in rolls only.  
Available in 4' lengths or 120' rolls.  
Matching corners in ALL sizes available.  
Matching tile and stairtread system.



## SHADOWBASE™:

Exclusive scuff resistant matte finish  
Available in 55 colors  
Standards: 4 3/16" Covebase & Notoe  
Unique visual helps to camouflage wall irregularities. Oversized to cover old adhesive lines on walls.  
Matching corners available.  
U.S. Patent #DES355264


\*Please note that colors in Shadowbase™ may appear darker than in smooth base.



## NO TOE/CARPET BASE:

Exclusive scuff resistant matte finish  
Available in 55 colors  
Standards: 2 1/2" & 4" heights  
Available in 4' lengths or 120' rolls.  
Matching corners available in 2 1/2" & 4" heights.  
Matching tile and stairtread system.

# Allstate Confetti



Terrazzo      Terrazzo Triangles      Terrazzo Lignes      Mini Terrazzo



Mini Terrazzo Triangles      Terrazzo Mix      Terrazzo logo      Terrazzo logo

Any combination of our 80 colors can be arranged in a choice of 7 confetti styles or your own design logo. Confetti is available in the smooth finish only. Sizes are: 13.4" x 13.4" standard, 24" x 24" (up charge) or 27" x 70" for vertical or nontraditional use only.



Pick the style of chipping. Pick one color as the base and pick the chip size. Then pick up to five colors as the chips. That's it.



# Allstate Marble



Allstate marble is available in 10 standard color ways, or your own colorway (small minimums apply) using our 80 colors as your palette. Marble is available in smooth finish only. Sizes are: 13.4" x 13.4" (standard), 24" x 24" (up charge) and 27" x 70" for nontraditional or vertical use only.



Rouge Café      Corail      Biscuit      Rouge Griotte      Bleu Caraïbes




Menthe      Bleu Iceberg      Graphite      Ebène      Ivoire




# Allsport and Allkit

High performance, heavy duty, easy-to-install interlocking tiles



AllSport tiles have anti-fatigue cushioning and a lightly textured anti-slip surface. Spike and skate resistant, it is ideal for multi purpose gyms, ski stations and ice rinks. AllSport has complementary ramps. Available in solid colors only. Ramp available in 7mm only.



AllKit is an event floor with a self-draining base, perfect for internal and external exhibitions, corporate hospitality events and road shows. AllKit has a micro-diamond surface texture for surer grip. Available in solid colors only.



Choose from 80 clean, clear Allstate colors.

# Allstate Freifloor™

PVC-free contract flooring, the no-wax, non-vinyl alternative



PVC Free



VOC Free



DEHP Free



DOP Free

Call for more information 1.718.526.7890  
[www.allstaterubber.com](http://www.allstaterubber.com)

# Technical Data

## Tile Sizes:

### UNI/SOLID COLOR SMOOTH

Tile Size : 13.4" x 13.4" & 24" x 24" & 27" x 70"  
(for vertical, nontraditional use only)

### TEXTURES & MICRO RELIEFS

Tile Size Textures: 27" x 27" Approx, (5.02 sq ft per tile).

Brasilia™: 24" x 24"

Granita, Alpha and Ardoise Italienne finishes 24" x 24"  
for access panels.

Micro Reliefs: 27" x 70" (for vertical nontraditional use only)

Petit Carré finish: 24" x 24" for access panels.

Martelé finish: 13.4" x 13.4" & 27" x 70"

### CONFETTIS & MARBLE

Tile Size Confetti and Marble 13.4" x 13.4", 27" x 70" for  
vertical nontraditional use or 24" X 24" for access panels.

### ALLSPORT & ALLKIT

Net Tile Size:

AllSport: 25" x 25" x 7mm

Allkit: 27.9" x 27.9" x 10mm

## Important Information

"Au Natural" 100% Natural Rubber formulation.

95% of our products are available in "Au Natural" natural  
rubber, excluding only the palest colors and certain special  
qualities. Please contact us to check if your choice is  
available in "Au Natural".

### SLIP RESISTANCE

Allstate "Au Natural" Rubber flooring is designed to offer  
a good degree of slip resistance underfoot in dry conditions.  
However, it can still be slippery when wet. To minimize risk  
of slippage, use effective entrance matting around all external  
entrances, and use warning signs when cleaning takes place.

### INSTALLATION AND MAINTENANCE

The tiles should be laid ashular or staggered in all cases.

The back of the tiles should be brushed clean before laying.

Tile must be inspected before installation. For guidance ask  
for our Technical and Service Partners Guide.

### NON-FLOORING USE

Interlocking tiles are not meant for non flooring use. Most  
other Allstate "Au Natural" rubber flooring can be used for  
nontraditional use. When using as a vertical surface, check  
your local standards for code compliance. Not sold as a  
wall covering.

### SPECIAL COLORS

Allstate offers a special color matching service with small  
minimums. Allstate will achieve the best possible color match,  
bearing in mind that colors may vary between dif ferent  
materials, and that color appearance will vary based on  
lighting conditions and angle of view .

### COLOR REPRODUCTION

The colors shown in this brochure are as accurate as possible  
given the limitation of the color printing process. For an  
exact color match, ask us for a real color sample.

### CONTACT INFO

Allstate Rubber Corp.

105-12 101 Avenue

Ozone Park, NYC 11416

sales@allstaterubber.com

www.muchocolors.com

www.allstaterubber.com

Phone: 1.718.526.7890

### DISCLAIMERS

All terms & specifications are subject to change without notice.

All Allstate products are designed & sold for interior contract use only .  
They are suitable for most interior contract applications (some exceptions  
are commercial kitchens, shower stalls, high moisture areas, solid  
color/uni tile as an overall field, any & all outdoor use). Not sold nor  
warranted for residential use. Sale of goods does not constitute approval  
of use by Allstate Rubber.

Tile must be inspected, dry laid & inspected before installation.

No warranties apply to any material installed with obvious defects.

Allstate makes no warranty, either expressed or implied, including without  
limitation warranties of merchantability or fitness for a particular purpose.



www.allstaterubber.com

1.718.526.7890

# Architects' Material Specifications

1. The flooring will be Allstate "Au Natural" rubber flooring composed of virgin rubber (no reground rubber or coarse fillers), a minimum of 55% net, without processing oils, balance of product to be made of vulcanizers, color pigments, dirt expelling agents & mineral fillers.

Available from Allstate via: SALES@ALLSTATERUBBER.COM

- 1a. Flooring shall be made of Allstate "Au Natural" 100% NATURAL & SUSTAINABLE RUBBER \_\_\_\_\_
2. Tile pattern shall be \_\_\_\_\_ (pick any relief/texture, confetti style, marble or solid color smooth tile)
3. Tile size shall be \_\_\_\_\_
4. Color shall be #D \_\_\_\_\_
- 4a. Confetti & marble only  
Base color shall be #D \_\_\_\_\_  
Chip colors shall be #D \_\_\_\_\_ (pick up to 5 colors)
5. Installation must be made with Allstate Adhesives only. Allstate approved installation methods must be followed. Tile must be dry laid before installation. Report any defects before installation. If in doubt, stop job and call your local Allstate rep. Warranties will not apply if installed without Allstate Adhesives, or if installed contrary to Allstate installation procedures.
6. Tile must rate +1.07 NFPA 253/astm E-648, pass NFPA 258, have a 560 psi (40cm<sup>2</sup>) static load limit. Tile must be anti-static and anti-bacterial (DIN 4102).
7. No substitutions will be allowed. Contractor is responsible for any changes due to their tardiness in ordering said material (including any and all freight charges).
8. Covebase shall be Allstate Custom Rubber Cove  
Color shall be #D \_\_\_\_\_ 7.5mm/3" height
- 8a. Covebase shall be Allstate rubber wall base  
Base color shall be #A \_\_\_\_\_ height 2 1/2" or 4" or 6"  
Style: \_\_\_ cove/topset or \_\_\_ notoe/straight or \_\_\_ Shadowbase™ (please tick)  
Format: \_\_\_\_\_ 120' rolls or \_\_\_\_\_ 4' lengths.  
Please note that this is a different color line than shown in the Allstate "Au Natural" brochure.
9. Stair nosing will be Allstate Custom Rubber Stair Nosing  
Color shall be #D \_\_\_\_\_ Size 6'6" x 3"
10. Stairtreads shall be Allstate Rubber Stairtreads  
Color shall be # \_\_\_\_\_,  
Please note that this is a different color line than shown in the Allstate "Au Natural" brochure.  
Style: Brasilia™ \_\_\_\_\_, Kruger™ \_\_\_\_\_, Ardeche™ \_\_\_\_\_, Etosha™ \_\_\_\_\_.  
Length/size shall be: \_\_\_\_\_, Nose will be: Square \_\_\_\_\_, Round (Kruger™ only, up to 60") \_\_\_\_\_.

## MAINTENANCE

The extremely high rubber content and built-in wax means that ALLSTATE "Au Natural" rubber flooring never has to be sealed. After installation, we suggest you clean the floor of any construction debris and then apply a suitable Taski Acrylic finish. We do not recommend the use of wax products as they tend to change color and wear quickly leading to high maintenance costs. For more detailed information, please refer to the Allstate Custom Rubber Maintenance Sheets.

## DISCLAIMERS

All Allstate Rubber Flooring is sold for commercial use only, not residential use. Nor is it warranted for residential use. It is suitable for most interior contract installations. It is not recommended for use in commercial kitchens, outdoor use, high moisture areas or as an overall field in Uni/sold colors. If in doubt, please contact your local Allstate rep for assistance. Specifications subject to change without notice.

Contact Allstate Rubber via e-mail: sales@allstaterubber.com or phone: 1.718.526.7890

www.allstaterubber.com

